

Water Safety

PFDs must be marked with a USCG approval number and all are required to be the correct size for each wearer. All PFDs must be easily accessible and in good, working condition without defects.


Visit www.osha.gov for complete details and regulation requirements.



Deluxe Merchant Mate™ II Vest

Designed to turn most unconscious wearers face up with foam-filled collar for additional head support and (2) chest adjusters for improving flotation angle. Constructed of heavy-duty, 210-denier nylon shell and lining with 62 sq. in. of 3M™ Scotchlite™ Reflective Material, SOLAS-grade 6755 on panels and collar. Includes special opening on back

ORDER#



DESCRIPTION

623900051 Deluxe Merchant Mate II vest



HOM

2000004522

General **Purpose Vest**

Features (2) encircling body belts and (1) chest strap, durable CROSSTECH® flotation foam and 200-denier nylon oxford outer shell. Includes 3M™ Scotchlite™ Reflective Material, SOLAS-grade 6755 on panels. Minimum 15 1/2 lb. buoyancy. USCG Approved, Type III. International orange.



2000011389

| ITEM # | ORDER# | DESCRIPTION | UOM | |
|------------|-----------|----------------------|-----|--|
| 2000011389 | 623900281 | General purpose vest | Ea | |



2000004522

ITEM #

First Mate™ Vests

Four-pocket flotation vest with soft, comfortable flotation foam for all-day wear. Features adjustable side tabs for a contoured fit and quick-adjust side tabs with Velcro® closure on pockets. Includes contoured foam cut, sturdy D-ring, 3M™ Scotchlite™ Reflective Material, SOLAS-grade 6755 on panels and Vislon® zipper. Minimum 15 lb. buoyancy. USCG Approved, Type III. International orange.

| ITEM # | ORDER # | SIZES | UOM | |
|-----------------|-----------|---------|-----|--|
| First Mate Vest | | | | |
| 2000011404 | 623900291 | S/M | Ea | |
| 2000011405 | 623900301 | L/XL | Ea | |
| 2000011406 | 623900311 | 2XL | Ea | |
| 2000011407 | 623900321 | 3XL | Ea | |
| 2000011408 | 623900331 | 4XL-7XL | Ea | |
| | | | | |





Versatile™ Vests

Tough nylon shell with 7-piece foam design for all-day comfort. Features (4) roomy pockets for accessories with full hook-and-loop closures, rustproof Vislon® zipper and eyelets for attaching lights or badge. Multiple foam inserts for flexibility and quick-adjust side tabs for secure fit and comfort. 3M™ Scotchlite™ Reflective Material, SOLAS-grade 6755 for high visibility. Minimum 15 1/2 lb. buoyancy. USCG Approved, Type III. International orange.

| ITEM # | ORDER # | SIZES | UOM |
|-----------------|-----------|-------|-----|
| Versatile Vest | | | |
| 14650RG-03-000F | 623900351 | M | Ea |
| 14650RG-04-000F | 623900361 | L | Ea |
| 14650RG-05-000F | 623900371 | XL | Ea |
| 14650RG-06-000F | 623900381 | 2XL | Ea |
| 14650RG-07-000F | 623900391 | 3XL | Ea |



14650RG-03-000F



ITEM #

14050RG-00-000F

Welders Vest

Economical, heavy-duty personal flotation device (PFD) with tough fiberglass shell and Vislon® zipper. Features side adjustments for secure fit. Includes Aquafoam™ flotation foam, roomy armholes, marine mesh inner lining and fiberglass front for marine welding. Universal. Minimum 15 1/2 lb. buoyancy. USCG Approved, Type III. International orange.

ORDER #

623900091



14050RG-00-000F



Force II™ Vests

Durable, easy-to-clean, PVC-coated work vest offers fall protection with opening for D-ring and lanyard. Aquafoam™ flotation foam retains buoyancy even when punctured.

Features 3M[™] Scotchlite[™] Reflective Material, SOLAS-grade 3150-A PS, with adhesive backing on panels. Includes snag-resistant buckles. Minimum 17 1/2 lb. buoyancy. Self-extinguishing under ASTM 1692-74. USCG Approved, Type V. International orange.

| ITEM # | ORDER# | SIZES | UOM |
|---------------|-----------|-----------|-----|
| Force II Vest | | | |
| 2000013834 | 623900431 | Universal | Ea |
| 2000015183 | 623900421 | Oversize | Ea |

2000013834



Work Master™ Vests

DESCRIPTION

Welders vest

Includes soft, comfortable closed-cell foam, belt with snag-resistant buckle for quick adjustment, hinged back panel and heavy-duty nylon shell. Marine mesh inner lining for breathability with flotation collar for added protection. Features 62 sq. in. 3M™ Scotchlite™ Reflective Material SOLAS-grade 6755 on panels. Minimum 17 1/2 lb. buoyancy. USCG Approved, Type III/V. International orange.

UOM

Fa

| ITEM # | ORDER# | SIZES | UOM |
|------------------|-----------|-----------|-----|
| Work Master Vest | | | |
| 2000004520 | 623900401 | Universal | Ea |
| 2000004521 | 623900411 | Oversize | Ea |





Hand™ Vests

Heavy-duty flotation vest made with tough, nylon oxford outer shell and soft, lightweight mesh for ventilation. Includes rustproof Vislon® zipper, 1" heavy-duty encircling body belt and side adjustments for a secure fit. Features CROSSTECH® flotation foam and 3M[™] Scotchlite[™] Reflective Material, SOLAS-grade 6755 on panels. Minimum 15 1/2 lb. buoyancy. USCG Approved, Type III. International orange.



2000011434

| etaines - |
|-----------|
| |

| ITEM # | ORDER# | SIZES | UOM | |
|----------------|-----------|-------|-----|--|
| Deck Hand Vest | | | | |
| 2000011433 | 623900631 | M | Ea | |
| 2000011434 | 623900641 | L | Ea | |
| 2000011435 | 623900651 | XL | Ea | |
| 2000011436 | 623900661 | 2XL | Ea | |
| 2000011437 | 623900671 | 3XL | Ea | |



Deck Hand II™ Vests

Heavy-duty flotation vest features (10) flotation panels for flexible, contoured fit, rustproof Vislon® zipper and heavy-duty encircling body belt. Includes chest pocket with Velcro® closure, size adjustments, tough nylon outer shell with marine mesh inner lining and 62 sq. in. of 3M[™] Scotchlite[™] Reflective Material, SOLAS-grade 6755 on panels. Minimum 15 1/2 lb. buoyancy. USCG Approved, Type III. International orange.



14160RG-04-000F

| ITEM # | ORDER# | SIZES | UOM | |
|-------------------|-----------|---------|-----|--|
| Deck Hand II Vest | | | | |
| I4160RG-03-000F | 623900111 | М | Ea | |
| I4160RG-04-000F | 623900121 | L | Ea | |
| I4160RG-05-000F | 623900131 | XL | Ea | |
| I4160RG-06-000F | 623900141 | 2XL | Ea | |
| I4160RG-07-000F | 623900151 | 3XL | Ea | |
| I4160RG-08-000F | 623900161 | 4XL-7XL | Ea | |
| | | | | |





Work Zone Gear™ Vests

Designed with soft, lightweight mesh on upper half for comfort and ventilation. Features tough, nylon oxford outer shell, (2) 1" encircling body straps, zipper front and (2) pockets with Velcro® closure. Includes lightweight, durable CROSSTECH® flotation foam, D-rings for attaching gear and 3M™ Scotchlite™ Reflective Material, SOLAS-grade on panels. Minimum 15 1/2 lb. buoyancy. USCG Approved, Type III.

| ITEM # | ODDED # | 001.00 | CIZEO | пом |
|------------------|---------------------------------|------------------------|-------|-----|
| ITEM # | ORDER # r Vest, 3M™ Scotchli | COLOR | SIZES | UOM |
| • 2000011409 | 623900441 | | S | Ea |
| 2000011409 | 023900441 | International orange | ٥ | Еа |
| 2000011410 | 623900451 | International orange | M | Ea |
| 2000011357 | 623900461 | International orange | L | Ea |
| 2000011412 | 623900471 | International orange | XL | Ea |
| 2000011413 | 623900481 | International orange | 2XL | Ea |
| 2000011414 | 623900491 | International orange | 3XL | Ea |
| Work Zone Gea | r Vest, 3M™ Scotchli | te™ 6187, ANSI Class 2 | | |
| • 14240RG-03-ANS | 623900511 | ANSI hi-viz orange | М | Ea |
| 14240RG-04-ANS | 623900521 | ANSI hi-viz orange | L | Ea |
| 14240RG-05-ANS | 623900531 | ANSI hi-viz orange | XL | Ea |
| 14240RG-06-ANS | 623900541 | ANSI hi-viz orange | 2XL | Ea |
| 14240RG-07-ANS | 623900551 | ANSI hi-viz orange | 3XL | Ea |
| 300001118 | 623911181 | ANSI hi-viz green | М | Ea |
| 300001119 | 623911191 | ANSI hi-viz green | L | Ea |
| 300001120 | 623911201 | ANSI hi-viz green | XL | Ea |
| 300001121 | 623911221 | ANSI hi-viz green | 2XL | Ea |
| 300001123 | 623911231 | ANSI hi-viz green | 3XL | Ea |
| | | | | |





See More Hi-Viz Products on Page 216.



1650RED-00-000



VR™ Versatile Rescue Vest

Designed to provide extra shock absorption with polyethylene foam. Made with rugged, 500-denier nylon pack cloth outer shell for strength and durability, and soft 200-denier nylon liner for comfort. Front and back fold-out side panels provide side protection for a full range of sizes and fold in for added ventilation. Thin, low-profile design adds cushioning while permitting unrestricted freedom of movement while the longer torso length offers greater body coverage. Designed with a removable crotch strap that stows in pocket when not in use and features adjustable, elastic shoulders to help take-up excess fabric. Includes 3M[™] Scotchlite[™] Reflective Material, SOLAS-grade 6755 on front and back for improved nighttime visibility. Universal. Minimum 25 lb. buoyancy. USCG Approved, Type V. Red/black.

Features:

- Quick-release belt with attached tether
- (4) Front adjustable straps
- Waist belt under foam to help prevent ride-up
- Stainless steel shoulder adjustment hardware allows for customized fit for tall or short wearers
- Chest pad covers center split
- Tether cover to keep loose straps confined
- Polyethylene foam absorbs shock and helps insulate
- Convenient web attachment strip to clip a whistle, extra carabiners, etc.
- Lash tabs on left and right chest and shoulders for fastening knife or tools
- Multiple belt loops and tunnels to retain loose ends
- Utility chest pad with multiple pockets and loops
- Lower front pocket provides room for storage

| ITEM # | ORDER# | DESCRIPTION | UOM |
|----------------|-----------|-----------------------|-----|
| 1650RED-00-000 | 623902101 | Versatile rescue vest | Ea |





Powerboat™ Flotation Jackets

Bomber-style float coat incorporates comfortable fit with improved wrist and waistband that will not expand as it gets wet. Water-resistant construction and design. Features soft Suisse Aire™ foam with coated nylon outer shell, multiple pockets with hook-and-loop closure, (4) outside pockets, sleeve utility pocket, inside chest pocket, and 3M™ Scotchlite™ Reflective Material, SOLAS-grade 6755. Includes internal adjustable belt for secure fit. Minimum 15 1/2 lb. buoyancy. USCG Approved, Type III.

| ITEM # | ORDER# | COLOR | SIZES | UOM | |
|-------------------|-----------|----------------------------|-------|-----|--|
| Powerboat Ja | cket | | | | |
| 3000002987 | 623929871 | International orange/black | S | Ea | |
| 3000002986 | 623929861 | International orange/black | M | Ea | |
| ♦ 3000002985 | 623929851 | International orange/black | L | Ea | |
| 3000002984 | 623929841 | International orange/black | XL | Ea | |
| 3000002983 | 623929831 | International orange/black | 2XL | Ea | |
| 3000002982 | 623929821 | International orange/black | 3XL | Ea | |
| 3000002954 | 623929541 | ANSI hi-viz green | S | Ea | |
| 3000002953 | 623929531 | ANSI hi-viz green | М | Ea | |
| 3000002952 | 623929521 | ANSI hi-viz green | L | Ea | |
| 3000002951 | 623929511 | ANSI hi-viz green | XL | Ea | |
| 3000002950 | 623929501 | ANSI hi-viz green | 2XL | Ea | |
| 3000002949 | 623911161 | ANSI hi-viz green | 3XL | Ea | |





Inflatable Work Vest

Automatically inflates when it is submerged. Features heavy-duty puncture-resistant outer shell that wipes clean, fall protection harness opening in back, 31.5 sq. in. of reflective tape, and a tri-fold design for easy repacking. Provides a minimum of 35 lbs. of buoyancy when fully inflated. Universal. USCG approved. International orange.

| ITEM # | ORDER# | DESCRIPTION | UOM |
|------------|-----------|----------------------|-----|
| 3000003509 | 623935091 | Inflatable work vest | Ea |





Ultra Commercial-Automatic Vests

Automatic inflation when submerged in water, manual inflation by pulling lanyard or by oral tube. Halkey-Roberts® 1F automatic inflator with single-point indicator. Features high-visibility reflective tape, emergency whistle on bladder, clear window to view arming status, pocket to store extra cylinder or gear, and D-ring. Heavy-duty nylon outer shell with 3M™ Scotchlite™ Reflective Material, SOLAS-grade 6755 on front and 2" adjustable belt for secure fit. Tri-fold design provides comfortable fit and easy repacking. 33.7 lb. buoyancy when fully inflated. Adult universal. USCG Approved Type V for use when worn on uninspected commercial vessels less than 40' in length, not carrying passengers for hire. Approved substitute for a Type II or III PFD only when worn and used in accordance with the owner's manual.

| ITEM # | ORDER# | COLOR | UOM | |
|-------------------|----------------|--------|-----|--|
| Ultra Commercial- | Automatic Vest | | | |
| 2000005011 | 623901671 | Black | Ea | |
| 2000005012 | 623901661 | Orange | Ea | |







Ultra 4000 Convertible-Automatic Vests

Made of nylon outer shell with D-ring, cylinder storage pocket, high-visibility reflective tape, emergency whistle on bladder and Secumar® 1F automatic inflator with single-point indicator and 2" adjustable belt. Convertible from automatic to manual by changing the water-soluble pill cage to a yellow override tab. Features automatic override tab to re-arm as manual only and clear window to view arming status. Includes mesh storage bag, cylinder and water-sensing pill. Universal. Provides 33.7 lb. buoyancy when fully inflated. USCG Approved, Type V convertible device: Type II when armed in automatic mode, Type III when armed as manual only.

| ITEM # | ORDER # | COLOR UOM |
|---------------------------|-----------|-----------|
| Automatic/Inflatable Vest | | |
| 2000004041 | 623901651 | Orange Ea |
| 1439BLK-00-000 | 623901641 | Black Ea |



2000011417

1439BLK



Rescue Mate™ Rescue Bags

Durable 1000-denier Cordura® bag holds 3/8" braided, floating polypropylene rope strong enough to support up to 1,800 lbs. of tensile pressure. Distinctive orange bag features quick-release carrying strap and features 1" reflective tape around the center for increased visibility, even in the dark.



| ITEM # | ORDER# | DESCRIPTION | UOM |
|----------------|-----------|--|-----|
| 10200RG-00-000 | 623903621 | Rescue Mate Rescue Bag, 50' of rope | Ea |
| I0210RG-00-000 | 623903631 | Rescue Mate Rescue | Ea |



| Type IV Ring |
|---------------------------------|
| Buoy and |
| Buoy Bag |
| the discounted DON alternations |

Industrial 30" dia. ring buoys are molded from high-impact linear, low-density polyethylene for

superior life expectancy in the most severe environmental conditions. Encircling rope is replaceable. REF style features SOLAS grade, 3150-A PS 3M[™] Scotchlite[™] Reflective Material with adhesive backing. For use with quick-release ring buoy brackets. Buoy bags are orange with rope included.

| ITEM # | ORDER# | DESCRIPTION | UOM |
|----------------|-----------|--|-----|
| 10300RG-00-REF | 623903861 | Type IV ring buoy w/ reflective tape, 30" | Ea |
| 10230RG-00-000 | 623903781 | Ring Buoy Rope & Bag w/ 90' of floating polypropylene rope | Ea |



Search and Rescue (SAR) Flotation Vests

Soft, lightweight mesh for ventilation. Aguafoam™ and CROSSTECH® flotation foam offers extra comfort. Includes (2) 1 1/2" encircling belts, adjustable chest strap, zipper front, (2) pockets with hook-and-loop closure and D-rings for attaching gear.

Features 62 sq. in. 3M™ Scotchlite™ Reflective Material, SOLAS-grade 6755 on panels. Minimum 15 1/2 lb. buoyancy. USCG Approved Type III. International orange

| ITEM # | ORDER# | SIZES | UOM |
|---------------|-----------|-------|-----|
| SAR Flotation | n Vest | | |
| 2000011416 | 623900571 | M | Ea |
| 2000011417 | 623900581 | L | Ea |
| 2000011418 | 623900591 | XL | Ea |
| 2000011419 | 623900601 | 2XL | Ea |
| 2000011420 | 623900611 | 3XL | Ea |
| | | | |



Bright, flashing strobe automatically turns on when it comes in contact with water, and can manually be turned off with the flick of a switch. Compact design and attachment loops that accommodate up to 2" of webbing make this ideal to be kept on PFDs. Meets USCG and SOLAS requirements.

| ITEM # | ORDER # | DESCRIPTION | UOM |
|----------------|-----------|-------------|-----|
| 1916LTE-00-000 | 623903741 | LED light | Ea |



Ice Rescue Suits

One-piece suit made of 100% closed-cell neoprene. Provides buoyancy and insulation. Features off-set zipper for better face seal and flap, attached gloves, waterproof zipper and sealed seams. Designed with wrist pocket to hold ice picks, reinforced knees and elbows for long-lasting durability, thick-soled boot with tread for sure footing, and integral chest harness with stainless steel front and back D-rings. Uses 3M™ Scotchlite™ Reflective Material, SOLAS-grade 3150-A PS with adhesive backing on front and back panels for high visibility. Individual storage bag included. Designed for rescue operations in extreme cold water and ice conditions. Not USCG approved. International orange.

| ITEM # | ORDER# | SIZES UOM |
|-----------------|-----------|--------------|
| Ice Rescue Suit | | |
| 2000017317 | 623901691 | Universal Ea |
| 2000017316 | 623901701 | Oversize Ea |



2000017317



Rapid Rescue Extreme™ Surface Suits

Features waterproof, breathable fabric, internal suspenders for fit and latex waterproof seals around neck and wrist. Includes waterproof entry zipper, CORDURA® knees and elbows for durability, seal protectors around wrist and neck, relief zipper, built-in waterproof sock and air purge valve. Red/black.

| ITEM # | ORDER# | SIZES | UOM | |
|----------------|-----------------|-------|-----|--|
| Rapid Rescue E | xtreme Dry Suit | | | |
| 1810-03-000 | 623901781 | М | Ea | |
| 1810-04-000 | 623901791 | L | Ea | |
| 1810-05-000 | 623901801 | XL | Ea | |
| 1810-06-000 | 623901811 | 2XL | Ea | |





SOLAS Cold Water Immersion Suits

Made with 5 mm stretchable, flame-retardant neoprene for quality anti-hypothermia protection. Generous fit for easy donning. Features buddy line, lifting harness and head pillow accessory. Each suit comes in color-coded storage bag. Adult sizes for small-oversize. Both styles comply with SOLAS Chapter III, IMO RES.MSC.207.(81) and are MED Approved. Type S has head pillow support for USCG approval. International orange.

| ITEM # | ORDER# | SIZES UOM | |
|----------------|-----------------------------|--------------------|--|
| Type S Cold Wa | ter Immersion Suit - Solas/ | USCG/Med | |
| 2000008113 | 623981131 | Adult-Universal Ea | |
| 2000008114 | 623981141 | Adult-Oversize Ea | |

